

## CONTENTS OF VOLUME 32

- ALMQVIST, E., PEPPER, T. P., and LORRAIN, P.—The angular distribution of the  $\text{Li}^7(t, \alpha)\text{He}^4$  reactions at 240 kev. triton energy, 621.
- ATKINS, K. R.—Some comments on helium films, 347.
- ATKINS, K. R. and HART, K. H.—The attenuation of second sound in liquid helium II above  $1^\circ\text{K}$ ., 381.
- ATKINS, K. R. and LOVEJOY, D. R.—A method of concentrating  $\text{He}^3$ - $\text{He}^4$  mixtures, 702.
- BEAUMONT, C. F. A.—A potential function for liquid helium at  $0^\circ\text{K}$ ., 759.
- BEKEFI, G.—The impedance of an antenna above a circular ground plate laid upon a plane earth, 205.
- BELL, R. E. and YAFFE, L.—Search for a possible error in the measured half life of  $\text{Au}^{198}$ , 416.
- BRECKON, S. W., HENRIKSON, A., MARTIN, W. M., and FOSTER, J. S.—The radioactive isotopes  $\text{Al}^{24}$ ,  $\text{P}^{32}$ ,  $\text{Cl}^{32}$ , 223.
- BRICOUT, P. A.—Refractive index nomogram for dry and humid air, 243.
- BRIX, P. and HERZBERG, G.—Fine structure of the Schumann-Runge bands near the convergence limit and the dissociation energy of the oxygen molecule, 110.
- BROWN, S. B. and PETRIE, W.—The effect of sunrise on the reflection height of low frequency waves, 90.
- CHISHOLM, D. A. and WELSH, H. L.—Induced infrared absorption in hydrogen and hydrogen-foreign gas mixtures at pressures up to 1500 atmospheres, 291.
- CLARKE, E. M.—Ionization probability curves using an electron selector. Results on  $\text{N}_2^+$ ,  $\text{N}^+$ ,  $\text{Xe}^{++}$ , 764.
- CLUSIUS, K. and DOUGLAS, A. E.—The  $\lambda 4050$  bands of the  $\text{C}_2^{12}$  molecule, 319.
- COSTELLO, M., SERSON, H., MONTALBETTI, R., and PETRIE, W.—The occurrence of ionized nitrogen bands in the twilight spectrum, 562(L).
- COWAN, J. A.—Counting slow electrons with an electron multiplier, 101.
- COX, J. W. and DAVIES, K.—Statistical studies of polar radio blackouts, 743.
- CRAWFORD, G. J. B.—See Moody, H. J.
- DANIELS, J. M.—Some experiments and theoretical considerations on the electric h.f.s. method of nuclear alignment, 662.
- DAVIES, K.—See Cox, J. W.
- DEMERS, P.—Cosmic ray phenomena at minimum ionization in a new nuclear emulsion having a fine grain, made in the laboratory, 538.
- DONNELLY, R. J.—See Johns, M. W.
- DOUGLAS, A. E.—See Clusius, K.
- DUCKWORTH, H. E.—See Hogg, B. G.; Pennington, E. M.
- ELLIOTT, L. G., PRESTON, M. A., and WOLFSON, J. L.—Disintegration of  $\text{Au}^{198}$ , 153.
- ERDMAN, K. L.—See Warren, J. B.
- FELDMAN, T.—See Romanko, J.
- FERIGLE, S. M. and WEBER, A.—Calculation of depolarization factors in the Raman spectra of polyatomic molecules, 799.
- FINKELSTEIN, R., GASIOROWICZ, S. G., and KAUS, P.—Description of a composite particle in terms of a functional potential well, 480.
- FLEMING, W., TOMLINSON, R. H., and THODE, H. G.—The fission yields of the stable and long-lived isotopes of xenon, cesium, and krypton in neutron fission of  $\text{U}^{235}$ , 522.
- FOSTER, J. S.—See Breckon, S. W.
- FRASER, P. A.—A method of determining the electronic transition moment for diatomic molecules, 515.
- FROESE, C. and WAIT, J. R.—Calculated diffraction patterns of dielectric rods at centimetric wavelengths, 775.
- FROOD, D. G.—A note on the use of the titanates as thermoelectric transducers, 313.
- GASIOROWICZ, S. G.—See Finkelstein, R.
- GEIGER, K. W. and ROSE, D. C.—The multiplicity of neutron production by spontaneous fission of uranium, 498.
- GOLDEMBERG, J.—See Katz, L.

- GOLDEMBERG, J. and KATZ, L.—Photoneutron cross sections of some elements, 49.
- GRAHAM, R. L. and STEWART, A. T.—Three-quantum annihilation of positrons in solids, 678(L).
- GRANT, H. L. and STEWART, R. W.—A logarithmic photometer, 674.
- GRUENBERG, H.—See Hurd, R. A.
- HAGG, E. L. and HANSON, G. H.—Motion of clouds of abnormal ionization in the auroral and polar regions, 790.
- HANSON, G. H.—See Hagg, E. L.
- HART, J.—The effect of a steady transverse electric field on the viscosity of polar liquid dielectrics, 99(L).
- HART, K. H.—See Atkins, K. R.
- HASLAM, R. N. H.—See Katz, L.; Taylor, J. G. V.
- HASLAM, R. N. H., ROBERTS, W. N., and ROBB, D. S.—Cross section for the reaction  $\text{Al}^{27}(\gamma, n)\text{Al}^{26}$ , 361.
- HENRIKSON, A.—See Breckon, S. W.
- HERZBERG, G.—See Brix, P.
- HOGG, B. G. and DUCKWORTH, H. E.—An atomic mass study of nuclear shell structure in the region  $82 < n < 126$ , 65.
- HUGO, T. J.—See Naudé, S. M.
- HULL, T. E. and WOLFE, W. A.—On inverting Laplace transforms of the form  $h(s)/(p(s) + q(s)e^{-\tau s})$ , 72.
- HURD, R. A.—The propagation of an electromagnetic wave along an infinite corrugated surface, 727.
- HURD, R. A. and GRUENBERG, H.—*H*-Plane bifurcation of rectangular waveguides, 694.
- JACKSON, J. D.—Electron capture by slow singly charged helium ions in helium, 60.
- JAMES, D. B.—See Warren, J. B.
- JARMAIN, W. R. and NICHOLLS, R. W.—Vibrational transition probabilities to high quantum numbers for the nitrogen first and second positive band systems, 201.
- JOHNS, M. W., McMULLEN, C. C., DONNELLY, R. J., and NABLO, S. V.—Coincidence studies of the decay of indium 114, 35.
- JOHNS, M. W. and SARGENT, B. W.—Photoneutrons in a heavy water pile, 136.
- KAEMPFFER, F. A.—On the concept of field quantization, 259. Note on the self-energy of single roton states in quantum hydrodynamics, 264. On a two-fluid model of matter, 430. On the relation between quantum hydrodynamics and conventional quantum field theory, 530.
- KAHANA, S.—See Wait, J. R.
- KATZ, L.—See Goldemberg, J.; McPherson, D.
- KATZ, L., HASLAM, R. N. H., GOLDEMBERG, J., and TAYLOR, J. G. V.—The photoneutron and photoproton cross sections of silicon and magnesium, 580.
- KAUS, P.—See Finkelstein, R.
- KELLY, F. M.—On  $\theta$  values in metals. II, 81.
- KERWIN, L.—Some mass spectrometric data on phosphorus, 757.
- KIRKALDY, J. S.—Dead-time losses in multichannel coincidence systems, 406.
- LAMARCHE, G.—See Volkoff, G. M.
- LAURIE, K. A.—See Warren, J. B.
- LOKKEN, J. E.—Contribution from phonon-phonon interactions to the  $T^3$  term of the specific heat of helium II, 359 (L).
- LORRAIN, P.—See Almqvist, E.
- LOVEJOY, D. R.—See Atkins, K. R.
- McKELLAR, A.—See Romanko, J.
- McKINLEY, D. W. R.—Dependence of integrated duration of meteor echoes on wavelength and sensitivity, 450.
- McLAY, A. B.—See Wiles, S. T.
- McMULLEN, C. C.—See Johns, M. W.
- McNAMARA, A. G.—See Meek, J. H.
- McNARRY, L. R.—See Redhead, P. A.
- McPHERSON, D., PEDERSON, E., and KATZ, L.—The  $(\gamma, n)$  and  $(\gamma, p)$  cross sections of argon<sup>40</sup>, 593.

- MARRIS, A. W.—On the Nusselt modulus as a function of friction factor, Reynolds and Prandtl moduli, for heat transfer to a fluid flowing turbulently through a tube of circular section, 167. An experimental investigation of the heat transfer to turbulently flowing pressurized air, 190. The momentum and vorticity transfer theories of turbulent heat transfer, 419.
- MARTIN, W. M.—See Breckon, S. W.
- MEEK, J. H. and McNAMARA, A. G.—Magnetic disturbances, sporadic *E*, and radio echoes associated with the aurora, 326.
- MØLLER, C. K. and STOICHEFF, B. P.—High resolution Raman spectroscopy of gases. IV. Rotational Raman spectrum of cyanogen, 635.
- MONTALBETTI, R.—See Costello, M.
- MOODY, H. J. and CRAWFORD, G. J. B.—An electronic ratchet, 356.
- NABLO, S. V.—See Johns, M. W.
- NAUDÉ, S. M. and HUGO, T. J.—The emission spectrum of aluminum monofluoride, II, 246.
- NEUGEBAUER, H. E. J.—Clausius-Mosotti equation for certain types of anisotropic crystals, 1.
- NICHOLLS, R. W.—An experimental study of band intensities in the first positive system of  $N_2$ . III. Quantitative treatment of eye estimates, 722. See Jarman, W. R.; Turner, R. G.
- NILBERG, R. H.—The American wind turbine, 639.
- NIVEN, C. D.—The effect of high loading on the kinetic friction of ice, 782.
- PEARSON, W. B.—Thermal expansion of lithium, 77° to 300°K., 708.
- PEDERSON, E.—See McPherson, D.
- PENNINGTON, E. M. and DUCKWORTH, H. E.—Atomic masses of  $Ru^{98}$ ,  $Ru^{99}$ ,  $Os^{189}$ , and  $Os^{192}$ , 808(L).
- PEPPER, T. P.—See Almqvist, E.
- PETRIE, W.—See Brown, S. B.; Costello, M.
- PLINT, C. A., SMALL, R. M. B., and WELSH, H. L.—Density effects in the Raman spectrum of ammonia, 653.
- PRESTON, M. A.—See Elliott, L. G.
- REDHEAD, P. A. and McNARRY, L. R.—An ionization manometer and control unit for extremely low pressures, 267.
- RITTER, G. J.—See Zeeman, P. B.
- ROBB, D. S.—See Haslam, R. N. H.
- ROBERTS, W. N.—See Haslam, R. N. H.
- ROBINSON, L. B.—See Taylor, J. G. V.
- ROMANKO, J., FELDMAN, T., STANSBURY, E. J., and McKELLAR, A.—The rotational Raman spectrum of ethylene, 735.
- ROSE, D. C.—See Geiger, K. W.
- ROY, S. K.—On the evaluation of certain lattice series, 509.
- RUMSEY, V. H.—On the analysis of experiments involving the kinetics of piles with reflectors, 435.
- RUSSELL, R. D.—See Shillibeer, H. A.
- SANDERS, F. H.—Image interference in calm, near-isothermal water. *With an appendix by* STEWART, R. W.—“Lloyd’s mirror” interference in the presence of slight uniform refraction—an approximate theory, 599.
- SARGENT, B. W.—See Johns, M. W.
- SCHIFF, H.—Electron capture cross sections, 393.
- SERSON, H.—See Costello, M.
- SHILLIBEER, H. A. and RUSSELL, R. D.—The potassium-argon method of geological age determination, 681.
- SMALL, R. M. B.—See Plint, C. A.
- STANSBURY, E. J.—See Romanko, J.
- STEWART, A. T.—See Graham, R. L.
- STEWART, R. W.—See Grant, H. L.; Sanders, F. H.
- STOICHEFF, B. P.—High resolution Raman spectroscopy of gases. I. Experimental methods, 330. II. Rotational spectra of  $C_2H_4$  and  $C_2D_4$ , and internuclear distances in the benzene molecule, 339. III. Raman spectrum of nitrogen, 630. See Møller, C. K.
- TAYLOR, J. G. V.—See Katz, L.
- TAYLOR, J. G. V., ROBINSON, L. B., and HASLAM, R. N. H.—Fine structure of the  $F^{19}(\gamma, n)F^{18}$  activation curve, 238.

- THODE, H. G.—See Fleming, W.
- TOMLINSON, R. H.—See Fleming, W.
- TURNER, C. H. M.—Birefringence in crystals and in the ionosphere, 16.
- TURNER, R. G. and NICHOLLS, R. W.—An experimental study of band intensities in the first positive system of  $N_2$ . I. Vibrational transition probabilities, 468. II. The transition moment, 475.
- VOLKOFF, G. M. and LAMARCHE, G.—Further calculations on the nuclear resonance spectrum of  $Al^{27}$  in spodumene, 493.
- WAIT, J. R.—On the theory of an antenna with an infinite corner reflector, 365. Reflection from a wire grid parallel to a conducting plane, 571. See Froese, C.
- WAIT, J. R. and KAHANA, S.—Radiation from a slot on a cylindrically tipped wedge, 714.
- WARREN, J. B., LAURIE, K. A., JAMES, D. B., and ERDMAN, K. L.—Gamma radiation from the proton bombardment of oxygen, 563.
- WEBER, A.—See Ferigle, S. M.
- WELSH, H. L.—See Chisholm, D. A.; Plint, C. A.
- WHITTIER, A. C.—Fast negative hydrogen ions, 275.
- WILES, S. T. and McLAY, A. B.—Diffraction of 3.2 cm. electromagnetic waves by cylindrical objects, 372.
- WOLFE, W. A.—See Hull, T. E.
- WOLFSON, J. L.—See Elliott, L. G.
- YAFFE, L.—See Bell, R. E.
- ZEEMAN, P. B.—Spectrum of the AIC molecule, 9.
- ZEEMAN, P. B. and RITTER, G. J.—New measurements on the  $A^1\Pi \leftrightarrow X^1\Sigma$  band system of  $AlH$ , 555.

## CORRECTION

Vol. 30, 1952, pp. 574–575. The measured values of the electric field in Figs. 2 and 3 are in error and should be multiplied by 0.68 to obtain the correct r.m.s. fields.

